

black Jack

SQUARE ROUND



CAPSULE COLLECTION

BLACK JACK 6

Datasheet

6 Addressable Push Buttons

The Black Jack Collection represents the perfect blend of the Italian innovation and advanced technology with the elegance and finest French savoir faire. Its iconic design, unmatched craftsmanship, unparalleled smart features and user experience deliver an exquisite piece of modern art.

BLACK JACK 6

6 Addressable Push Buttons

Technical Specification



Product Name	BLACK JACK 6
Power Supply	KNX version: 30V DC, with auxiliary 24V DC $\pm 10\%$, power supply for backlights, Cresnet version: 24V DC $\pm 10\%$, RS-485 version: 24V DC $\pm 10\%$
Power Supply Options	Via dedicated DC power supply only
Current Consumption	KNX version: KNX Bus: 10mA; Auxiliary Power Supply: Max 3W; RS-485 version: Max 3W; Cresnet version: Max 3W
Physical Interfaces	KNX TP, RS-485 or Cresnet
Communication Protocols	KNX, BN RS-485 or Cresnet
Temperature Sensor	Digital, 10-40°C range, 0.5°C accuracy
Humidity Sensor	Digital, 0-100% range, 2% accuracy
Screen Type	Not Applicable
Max Quantity of Addressable Buttons	6
Backlights / Status Indicators	Individually programmable backlight color and brightness (KNX version: auxiliary 24V DC $\pm 10\%$ power supply required)
Proximity Detection	Not Applicable
Warmup Time	10 seconds
Faceplate Material	Brass surface with customizable background colors
Frame Material	Brass with anti fingerprint surface finishing
Door Number	Not Applicable
RFID Card Reader	Not Applicable
Socket Options	Not Applicable
Number of Sockets	Not Applicable
Case Material	PC UL V0
Mounting	Snap-in mechanical locking
Dimensions (H x W x D)	95 x 95 x 10.6 mm
Weight	300 g
Operating Temperature Range	0 °C .. +45 °C
Operating Humidity Range	90% R.H. max non-condensing
Storage and Transportation Temperature Range	-10 °C .. +70 °C
Storage and Transportation Humidity Range	90% R.H. max non-condensing
Protection Level	IP20


BLACK JACK 6

6 Addressable Push Buttons


Technical Specification



Product Dimensions (mm)




Front View




Side View

□ Addressable Push Buttons


Back Box Dimensions (mm)



FR Dry



EU 2M Standard



UK 3x3 Standard

BLACK JACK 6

6 Addressable Push Buttons

Technical Specification



Médaille Allemand (Square Buttons)



Médaille Allemand (Round Buttons)

Champagne (Square Buttons)



Champagne (Round Buttons)

Nickel Brossé (Square Buttons)



Nickel Brossé (Round Buttons)

Mat Noir (Square Buttons)



Mat Noir (Round Buttons)